



MATERIAL SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION:

PRODUCT CODE	A0265
PRODUCT NAME	METHYL ACETATE
SUPPLIER	Shanghai M & U International Trade Co., Ltd. Rm 1717, No 598 North NuJiang Road 200333 Shanghai, China +86-21-32515501 32515502 sales@mu-intel.com

FOR EMERGENCIES CALL CHEMTREC: 800-424-9300 (24-HOURS)

2. HAZARD IDENTIFICATION:

Carcinogenicity

NTP: NO OSHA: NO IARC MONOGRAPH: NO
OSHA PEL: NOT ESTABLISHED ACGIH TLV: NOT ESTABLISHED

Acute Toxicity Data

ORAL LD50: 6,970 MG/KG RAT
DERMAL LD50: >5,000 MG/KG RABBIT
INHALATION LC50: >16,000 PPM/4HRS. RAT

Health Hazards (Acute and Chronic)

Skin Contact: MAY CAUSE IRRITATION
Inhalation: NOT ESTABLISHED
Eye Contact: MAY CAUSE IRRITATION
Ingestion: NOT ESTABLISHED

Other Effects

The health hazard information is based on laboratory animal test data for the individual components of this product in their pure form as provided under 29 CFR 1910.1200 (d)(5)(ii). The user should consider the relevancy of this information in a manner consistent with its particular purpose.

3. COMPOSITION AND INFORMATION ON INGREDIENTS:

Molecular Formula	C3 H6 O2
Molecular Weight	74.08
CAS-No	EC-No
79-20-9	201-185-2

4. FIRST-AID GUIDE:

Eyes

IMMEDIATELY FLUSH EYES WITH LARGE QUANTITIES OF COLD CLEAN WATER FOR AT LEAST 15 MINUTES. CALL A PHYSICIAN IMMEDIATELY

Skin

WASH WITH SOAP AND WATER. FLUSH WITH LARGE QUANTITIES OF WATER. IF IRRITATION PERSISTS CALL A PHYSICIAN

Inhalation

REMOVE TO FRESH AIR AND CALL A PHYSICIAN IF NECESSARY

Ingestion

ADMINISTER WATER OR MILK TO DILUTE. CONTACT A PHYSICIAN OR LOCAL POISON CONTROL CENTER IMMEDIATELY. **DO NOT** INDUCE VOMITING

5. FIRE-FIGHTING GUIDE:

Flash Point (°F): 9

Method Used: CC

Extinguishing Media

Carbon Dioxide; Dry Chemical; Universal Type Foam

Special Fire Fighting Procedures

Evacuate unprotected and untrained personnel. Trained firefighting personnel should be equipped with self-contained breathing apparatus and full protective gear

Unusual Fire, Explosion and Stability Hazards

EMITS TOXIC FUMES UNDER FIRE CONDITIONS, VAPOR IS HEAVIER THAN AIR AND CAN TRAVEL CONSIDERABLE DISTANCE TO SOURCE OF IGNITION AND FLASH BACK

6. ACCIDENTAL RELEASE GUIDE:

REMOVE ANY SOURCES OF FLAME OR SPARKS. IF IN A CONFINED AREA NIOSH APPROVED RESPIRATORY PROTECTION MAY BE REQUIRED. ABSORB SPILLS ON VERMICULITE OR OTHER SUITABLE ABSORBENT MATERIAL AND REMOVE TO AN APPROVED DISPOSAL CONTAINER

7. HANDLING AND STORAGE:

IT IS RECOMMENDED THAT THIS MATERIAL BE STORED IN TIGHT FULL CONTAINERS IN A COOL, DRY PLACE AWAY FROM LIGHT

8. EXPOSURE AND PERSONAL PROTECTION:

Eyes

IN GENERAL, THE USE OF SAFETY GLASSES IS RECOMMENDED. IF THE MATERIAL

IS TO BE HANDLED IN A MANNER WHERE SPLASHING MAY OCCUR, THE USE OF SPLASH GOGGLES OR FACE SHIELD IS RECOMMEND

Respiratory

IN WELL VENTILATED AREAS RESPIRATORY PROTECTION IS NOT NORMALLY REQUIRED. IN CONFINED, POORLY VENTILATED AREAS THE USE OF NIOSH-APPROVED RESPIRATORY PROTECTION MAYBE REQUIRED OR IF MATERIAL IS RATED TOXIC BY INHALATION

Equipment and Apparel

THE USE OF CHEMICAL RESISTANT GLOVES IS RECOMMENDED. ACCEPTABLE INDUSTRIAL HYGIENE PRACTICES SHOULD BE MAINTAINED. LIMIT EXPOSURE TO PRODUCT WHENEVER POSSIBLE, WASH AFTER ANY CONTACT. THOROUGHLY WASH ANY CONTAMINATED CLOTHING OR SHOES

Ventilation

VENTILATION MEETING ACGIH STANDARDS SHOULD BE EMPLOYED.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Physical State:	LIQUID
% Volatile:	N/A
Odor:	ESTER-LIKE
Melting Point (°C):	N/A
Color:	COLORLESS TO PALE YELLOW
Vapor Density (Air = 1):	2.55
Solubility in Water:	SLIGHT
Refractive Index @ 20C:	1.361
Boiling Point (oC):	56
Water Content:	<0.05
Vapor Pressure (mm Hg @ 20oC):	N / A
Alcohol Content:	N / A
Specific Gravity @ 25C (H2O=1.0):	0.932

10. STABILITY AND REACTIVITY:

This material presents no significant hazard. Hazardous Polymerization will not occur and it will not react violently with water
Contact with highly reactive chemical oxidants should be avoided. If burned this product will produce carbon monoxide and/or carbon dioxide

11. DISPOSAL RECOMMENDATIONS:

DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS

12. TRANSPORTATION INFORMATION:

DOT (US)

UN number: 1231 Class: 3 Packing group: II

Proper shipping name: METHYL ACETATE

IMDG

UN number: 1231 Class: 3 Packing group: II

Proper shipping name: METHYL ACETATE

IATA

UN number: 1231 Class: 3 Packing group: II

Proper shipping name: METHYL ACETATE

13. REGULATORY INFORMATION:

US FEDERAL

HMIS III: PHYSICAL HAZARD: 1

HEALTH: 2 FLAMMABILITY: 3 REACTIVITY: 0 PERSONAL PROTECTION: X

TSCA

CAS# 79-20-9 IS LISTED ON THE TSCA INVENTORY.

HEALTH & SAFETY REPORTING LIST

NONE OF THE CHEMICALS ARE ON THE HEALTH & SAFETY REPORTING LIST.

CHEMICAL TEST RULES

NONE OF THE CHEMICALS IN THIS PRODUCT ARE UNDER A CHEMICAL TEST RULE.

SECTION 12B

NONE OF THE CHEMICALS ARE LISTED UNDER TSCA SECTION 12B.

TSCA SIGNIFICANT NEW USE RULE

NONE OF THE CHEMICALS IN THIS MATERIAL HAVE A SNUR UNDER TSCA.

SARA

CERCLA HAZARDOUS SUBSTANCES AND CORRESPONDING RQS

NONE OF THE CHEMICALS IN THIS MATERIAL HAVE AN RQ.

SARA SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES

NONE OF THE CHEMICALS IN THIS PRODUCT HAVE A TPQ.

SARA CODES

CAS # 79-20-9: ACUTE, FLAMMABLE.

SECTION 313

NO CHEMICALS ARE REPORTABLE UNDER SECTION 313.

CLEAN AIR ACT

THIS MATERIAL DOES NOT CONTAIN ANY HAZARDOUS AIR POLLUTANTS. THIS MATERIAL DOES NOT CONTAIN ANY CLASS 1 OZONE DEPLETORS. THIS MATERIAL DOES NOT CONTAIN ANY CLASS 2 OZONE DEPLETORS.

CLEAN WATER ACT

NONE OF THE CHEMICALS IN THIS PRODUCT ARE LISTED AS HAZARDOUS SUBSTANCES UNDER THE CWA. NONE OF THE CHEMICALS IN THIS PRODUCT ARE LISTED AS PRIORITY POLLUTANTS UNDER THE CWA. NONE OF THE CHEMICALS IN THIS PRODUCT ARE LISTED AS TOXIC POLLUTANTS UNDER THE CWA.

OSHA

NONE OF THE CHEMICALS IN THIS PRODUCT ARE CONSIDERED HIGHLY HAZARDOUS BY OSHA.

STATE

CAS# 79-20-9 CAN BE FOUND ON THE FOLLOWING STATE RIGHT TO KNOW LISTS: CALIFORNIA, NEW JERSEY, PENNSYLVANIA, MINNESOTA, MASSACHUSETTS. CALIFORNIA NO SIGNIFICANT RISK LEVEL: NONE OF THE CHEMICALS IN THIS PRODUCT ARE LISTED.

EUROPEAN/INTERNATIONAL REGULATIONS

EUROPEAN LABELING IN ACCORDANCE WITH EC DIRECTIVES

HAZARD SYMBOLS

XI F

RISK PHRASES

R 11 HIGHLY FLAMMABLE.

R 36 IRRITATING TO EYES.

R 66 REPEATED EXPOSURE MAY CAUSE SKIN DRYNESS OR CRACKING.

R 67 VAPORS MAY CAUSE DROWSINESS AND DIZZINESS.

SAFETY PHRASES

S 16 KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.

S 26 IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE.

S 29 DO NOT EMPTY INTO DRAINS.

S 33 TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGES.

WGK (WATER DANGER/PROTECTION)

CAS# 79-20-9: 1

CANADA - DSL/NDSL

CAS# 79-20-9 IS LISTED ON CANADA'S DSL LIST.

CANADA - WHMIS

THIS PRODUCT HAS A WHMIS CLASSIFICATION OF B2, D2B.

CANADIAN INGREDIENT DISCLOSURE LIST

CAS# 79-20-9 IS LISTED ON THE CANADIAN INGREDIENT DISCLOSURE LIST.

EXPOSURE LIMITS

CAS# 79-20-9: OEL-AUSTRALIA:TWA 200 PPM (610 MG/M3);STEL 250 PPM (760 MG/M3) OEL-BELGIUM:TWA 200 PPM (610 MG/M3);STEL 250 PPM (760 MG/M3) OEL-CZECHOSLOVAKIA:TWA 200 MG/M3;STEL 600 MG/M3 OEL-DENMARK:TWA 200 PPM (610 MG/M3) OEL-FINLAND:TWA 200 PPM (610 MG/M3);STEL 250 PPM (760 MG/M3) OEL-FRANCE:TWA 200 PPM (610 MG/M3);STEL 250 PPM (760 MG/M3) OEL-GERMANY:TWA 200 PPM (610 MG/M3) OEL-HUNGARY:TWA 200 MG/M3;STEL 500 MG/M3;SKIN OEL-JAPAN:TWA 200 PPM (610 MG/M3) OEL-THE NETHERLANDS: TWA 200 PPM (610 MG/M3) OEL-THE PHILIPPINES:TWA 200 PPM (610 MG/M3) OEL-POLAND:TWA 100 MG/M3 OEL-RUSSIA:TWA 200 PPM;STEL 100 MG/M3 OEL-SWITZERLAND:TWA 200 PPM (610 MG/M3);STEL 400 PPM OEL-TURKEY:TWA 200 PPM (610 MG/M3) OEL-UNITED KINGDOM:TWA 200 PPM (610 MG/M3);STEL 250 PPM OEL IN BULGARIA, COLOMBIA, JORDAN, KOREA CHECK ACGIH TLV OEL IN NEW ZEALAND, SINGAPORE, VIETNAM CHECK ACGI TLV

14. OTHER INFORMATION:

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond M&U's control, it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for loss, damage, or expense arising out of the products improper use. No warranty expressed or implied regarding the product described herein will be created by or inferred from any statement or omission in the MSDS. Various federal, state, or provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in the MSDS. The user should review these regulations to ensure full compliance.