



MATERIAL SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION:

PRODUCT CODE A0445
PRODUCT NAME AMYL ACETATE
SUPPLIER Shanghai M & U International Trade Co., Ltd.
Rm 1717, No 598 North NuJiang Road
200333 Shanghai, China
+86-21-32515501 32515502
sales@mu-intel.com

FOR EMERGENCIES CALL CHEMTREC: 800-424-9300 (24-HOURS)

2. HAZARD IDENTIFICATION:

Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)


Flammable liquids (Category 3), H226

Acute aquatic toxicity (Category 3), H402

Chronic aquatic toxicity (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS Label elements, including precautionary statements

Pictogram 
Signal word **Warning**

Hazard statement(s)

H226 Flammable liquid and vapor

H412 Harmful to aquatic life with long lasting effects

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P233 Keep container tightly closed

P240 Ground/bond container and receiving equipment

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment

P242 Use only non-sparking tools

P243 Take precautionary measures against static discharge

P273 Avoid release to the environment

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction
P403 + P235 Store in a well-ventilated place, Keep cool
P501 Dispose of contents/ container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC) or not covered by GHS

Repeated exposure may cause skin dryness or cracking

3. COMPOSITION AND INFORMATION ON INGREDIENTS:

Synonyms	Pentyl acetate Amyl acetate
Formula	C7 H14 O2
Molecular Weight	130.18 g/mol
CAS-No	628-63-7
EC-No	211-047-3
Index-No	607-130-00-2

Hazardous Components

Component	Pentyl Acetate
Classification	Flam. Liq. 3; Aquatic Acute 3; Aquatic Chronic 3; H226, H412
Concentration	90-100%

For full test of the H-Statements mentioned in this Section, see Section 16

4. FIRST-AID GUIDE:

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician

In case of skin contact

Wash off with soap and plenty of water. Consult a physician

In case of eye contact

Flush eyes with water as a precaution

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labeling (see section 2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

5. FIRE-FIGHTING GUIDE:

Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide

Special hazards arising from the substance or mixture

Carbon oxides

Advice for firefighters

Wear self contained breathing apparatus for firefighting if necessary

Further information

Use water spray to cool unopened containers

6. ACCIDENTAL RELEASE GUIDE:

Personal precautions, protective equipment and emergency procedures

Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapor accumulating to form explosive concentrations. Vapors can accumulate in low areas.

For personal protection see section 8

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13)

Reference to other sections

For disposal see section 13

7. HANDLING AND STORAGE:

Precautions for safe handling

Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the buildup of electrostatic charge. For precautions see section 2

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage

Specific end use(s)

No other specific uses are stipulated

8. EXPOSURE AND PERSONAL PROTECTION:

Components with workplace control parameters

Component parameters	CAS-No	Value	Control
Pentyl acetate	628-63-7	TWA	100 ppm 525 mg/m3
		TWA	100 ppm 525 mg/m3
Remarks			
The value in mg/m3 is approximate		TWA	100 ppm 525 mg/m3

Basis

USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000

USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants

USA. NIOSH Recommended Exposure Limits

Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU)

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands

Body Protection

Impervious clothing, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided

9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance	Form: clear, liquid
Color	colorless
Odor	no data available
Odor Threshold	no data available
pH	no data available
Melting point/freezing point	Melting point/range: -100 °C (-148 °F) - lit.
Initial boiling point and boiling range	142 - 149 °C (288 - 300 °F) - lit
Flash point	39 °C (102 °F) - closed cup
Evaporation rate	no data available
Flammability (solid, gas)	no data available
Upper/lower flammability or explosive limits	Upper explosion limit: 7.5 %(V) Lower explosion limit: 1.1 %(V)
Vapor pressure	5 hPa (4 mmHg) at 20 °C (68 °F)
Vapor density	4.49 - (Air = 1.0)
Relative density	0.876 g/cm ³ at 25 °C (77 °F)
Water solubility	no data available
Partition coefficient: n-octanol/water	no data available
Auto-ignition temperature	no data available
Decomposition temperature	no data available
Viscosity	no data available
Explosive properties	no data available
Oxidizing properties	no data available

Other safety information

Relative vapor density

4.49 - (Air = 1.0)

10. STABILITY AND REACTIVITY:**Reactivity**

No data available

Chemical stability

Stable under recommended storage conditions

Possibility of hazardous reactions

No data available

Conditions to avoid

Heat, flames and sparks

Incompatible materials

Strong oxidizing agents, Strong bases

Hazardous decomposition products

Other decomposition products - no data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION:**Information on toxicological effects****Acute toxicity**

LD50 Oral - rabbit - 7,400 mg/kg

Inhalation: no data available

Dermal: no data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC

No components of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC

ACGIH

No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH

NTP

No components of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP

OSHA

No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: AJ1925000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated

Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION:**Toxicity**

Toxicity to fish LC50 - *Gambusia affinis* (Mosquito fish) - 65 mg/l - 96 h

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life with long lasting effects

No data available

13. DISPOSAL RECOMMENDATIONS:

Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company

Contaminated packaging

Dispose of as unused product

14. TRANSPORTATION INFORMATION:

DOT (US)

UN number: 1104 Class: 3 Packing group: III
Proper shipping name: Amyl acetates
Reportable Quantity (RQ): 5000 lbs
Marine pollutant: No
Poison Inhalation Hazard: No

IMDG

UN number: 1104 Class: 3 Packing group: III EMS-No: F-E, S-D
Proper shipping name: AMYL ACETATES
Marine pollutant: No

IATA

UN number: 1104 Class: 3 Packing group: III
Proper shipping name: Amyl acetates

15. REGULATORY INFORMATION:

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313

SARA 311/312 Hazards

Fire Hazard, Chronic Health Hazard

Massachusetts Right to Know Components

Pentyl acetate	CAS-No	Revision Date
	628-63-7	1993-04-24

Pennsylvania Right to Know Components

Pentyl acetate	CAS-No	Revision Date
	628-63-7	1993-04-24

New Jersey Right to Know Components

Pentyl acetate	CAS-No	Revision Date
	628-63-7	1993-04-24

California Prop 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm

16. OTHER INFORMATION:

Full text of H-Statements referred to under sections 2 and 3

Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
Flam. Liq.	Flammable liquids
H226	Flammable liquid and vapor
H402	Harmful to aquatic life

HMIS Rating

Health hazard	0
Chronic Health Hazard	*
Flammability	2
Physical Hazard	0

NFPA Rating

Health hazard	0
Fire Hazard	2
Reactivity Hazard	0

Further information

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond M&U's control, it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability for loss, damage, or expense arising out of the products improper use. No warranty expressed or implied regarding the product described herein will be created by or inferred from any statement or omission in the MSDS. Various federal, state, or provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in the MSDS. The user should review these regulations to ensure full compliance.